PHYS:7729 Homework #2

Due at the beginning of class, Thursday, February 9, 2023.

1. (6 pts) Show that the determinant of the matrix

$$\begin{pmatrix} S - n^2 \cos^2 \theta & -iD & n^2 \sin \theta \cos \theta \\ iD & S - n^2 & 0 \\ n^2 \sin \theta \cos \theta & 0 & P - n^2 \sin^2 \theta \end{pmatrix}$$

can be written in the form of the Booker Quartic

$$An^4 - Bn^2 + C = 0$$

where

$$A = S \sin^2 \theta + P \cos^2 \theta,$$

$$B = RL \sin^2 \theta + PS(1 + \cos^2 \theta),$$

C = RLP.

and

2. (6 pts) Prove that the index of refraction for cold plasma waves (the solution of the Booker Quartic above) is either purely real or purely imaginary, but never complex. Hint: Show that the discriminant
$$B^2 - 4AC$$
 is positive definite.

3. (10 pts) In the limit $\omega \to 0$, show that

$$R = L = S = 1 + \sum_{s} \frac{\omega_{ps}^2}{\omega_{cs}^2},$$
$$D = 0,$$

and

$$P = -\sum_{s} \frac{\omega_{ps}^2}{\omega^2}.$$

- 4. (9 pts) Assuming that the ions are infinitely massive, derive the equations for the following characteristic frequencies:
 - (a) The right-hand cutoff frequency, ω_R
 - (b) The left-hand cutoff frequency, ω_L
 - (c) The upper hybrid frequency, ω_{UH}
- 5. Whistler Waves
 - (a) (6 pts) Assuming the wave frequency is sufficiently high that the ions do not move, that $\omega \ll \omega_p$, and that $|\omega_{ce}| \ll \omega_p$, show that the index of refraction for whistler waves with a wave vector at an angle θ with respect to the mean magnetic field is approximately

$$n^2 = \frac{\omega_p^2}{\omega(|\omega_{ce}|\cos\theta - \omega)}$$

- (b) (1 pt) Sketch $n(\theta)$ for $\omega \ll |\omega_{ce}|$ as a polar plot.
- (c) (1 pt) Sketch $n(\theta)$ for $\omega = |\omega_{ce}|/4$ as a polar plot.
- (d) (1 pt) Sketch $n(\theta)$ for $\omega = |\omega_{ce}|/2$ as a polar plot.