

Spectra (plural of spectrum)



The solar spectrum

- A fundamental measurement to extract more information from starlight
- Spread out light according to wavelength

The Solar Spectrum as an astronomer would study it

66 | 3 Solar Spectroscopy




Fig. 3-1 The spectral distribution of solar irradiance measured above the Earth's atmosphere, in units of mW/sq.meter/nanometer. Kindly provided by G. Thuillier (see G. Thuillier et al., "Sun Irradiance Spectra" in "Solar Variability and Its Effect on Climate", J. Pap et al., Eds., AGU Monograph Series (2003)).


What do the spectra of the Sun and stars tell us about those objects?




See Figure 16.11 from book

<http://www.astro.umd.edu/~ssm/ASRT220/OBAFGKM.html>

The energy level diagram of hydrogen



The energy level diagram of another atom... carbon




The Physics of Spectrum Formation, Kirchoff's Laws and Wien's Law

- Hot opaque solid or liquid produces a continuous spectrum
- Hot, tenuous gas observed against dark background produces emission line spectrum
- Cold, tenuous gas observed against bright background produces absorption spectrum





Kirchoff's Laws of Radiation

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.



Kirchoff' s First Law + Wien' s Law

- Hot, opaque objects produce *continuous spectrum*
- The hotter the object, the bluer it is 
- Wien' s Law $w_{\max} = 2.9E-03/T$
- The hotter an object, the brighter it is
- demo 

Why does Wien's Law look like that?

A physicist is bothered when he or she sees an equation like:

$$\lambda_{max} = \frac{2.90 \times 10^{-3}}{T} \text{ meters}$$

The form which emerges from fundamental equations of physics is:

$$\lambda_{max} = \frac{0.201hc}{k_B T}$$

Kirchoff' s Third Law: Absorption Spectra

